AUTHOR INDEX

Page numbers in italics indicate biographic notes about the authors concerned.

Alamsyah, C., 29, *205*

Childs, T. H. C., 81, *205*

Dillich, S., 29, *205*

Fackrell, J. E., 237, *415*
Fattouh, M., 209, *415*

Gao, C. Q., 231, *415*
Gong, D., 283, *415*

Hatazawa, T., 221, *415*
Herman, H., 311
Hsu, S. M., 1
Humphreys, K., 13, *205*
Huner, B., 413, *415*
Hutchings, I. M., 99, *205*

Jain, S. C., 335
Jain, V. K., 321, *416*
Jin, Y.-S., 399, *416*

Kagami, J., 221, *416*
Keith, Jr., T. G., 377, *416*
Ko, P. L., 13, *206*
Koike, K., 221, *416*
Križman, A., 253, 271, *416*

Lei, T. C., 231, *416*
Lösche, T., 357, *417*
Lou, H. Q., 253, 271, *417*

Madsen, B. W., 59
Matthews, C., 13, *206*
McReynolds, R. D., 115
Mouritz, A. P., 99, *206*
Munro, R. G., 1

Pettit, A., 29, *206*

Rigney, D. A., 165
Ruff, A. W., 49

Saba, C. S., 321, *417*
Sabbagh, F., 81, *206*
Sasaki, S., 185, *206*
Sharma, S. C., 335
Shih, C. Y., 165
Sinhasan, R., 335
Srygley, F., 115, *206*

Vijayaraghavan, D., 377, *417*

Wang, B.-Q., 311, *417*
Wang, H.-L., 283, *417*
Wang, Y., 231, *417*
Wang, Y.-L., 399, *418*
Wang, Y. S., 1
Warren, C. D., 115, 149
Wen, S.-Z., 399, *418*
Wert, J. J., 115, 149, *207*
Wright, M. S., 321, *418*

Xue, Q.-J., 283, *418*

Zhang, C.-H., 297, *418*
Zhang, X.-S., 297, *418*
Zhu, C., 297, *418*

© Elsevier Sequoia/Printed in The Netherlands

AUTHOR INDEX

Page numbers in italics indicate biographic notes about the authors concerned.

Alamsyah, C., 29, *205*

Childs, T. H. C., 81, *205*

Dillich, S., 29, *205*

Fackrell, J. E., 237, *415*
Fattouh, M., 209, *415*

Gao, C. Q., 231, *415*
Gong, D., 283, *415*

Hatazawa, T., 221, *415*
Herman, H., 311
Hsu, S. M., 1
Humphreys, K., 13, *205*
Huner, B., 413, *415*
Hutchings, I. M., 99, *205*

Jain, S. C., 335
Jain, V. K., 321, *416*
Jin, Y.-S., 399, *416*

Kagami, J., 221, *416*
Keith, Jr., T. G., 377, *416*
Ko, P. L., 13, *206*
Koike, K., 221, *416*
Križman, A., 253, 271, *416*

Lei, T. C., 231, *416*
Lösche, T., 357, *417*
Lou, H. Q., 253, 271, *417*

Madsen, B. W., 59
Matthews, C., 13, *206*
McReynolds, R. D., 115
Mouritz, A. P., 99, *206*
Munro, R. G., 1

Pettit, A., 29, *206*

Rigney, D. A., 165
Ruff, A. W., 49

Saba, C. S., 321, *417*
Sabbagh, F., 81, *206*
Sasaki, S., 185, *206*
Sharma, S. C., 335
Shih, C. Y., 165
Sinhasan, R., 335
Srygley, F., 115, *206*

Vijayaraghavan, D., 377, *417*

Wang, B.-Q., 311, *417*
Wang, H.-L., 283, *417*
Wang, Y., 231, *417*
Wang, Y.-L., 399, *418*
Wang, Y. S., 1
Warren, C. D., 115, 149
Wen, S.-Z., 399, *418*
Wert, J. J., 115, 149, *207*
Wright, M. S., 321, *418*

Xue, Q.-J., 283, *418*

Zhang, C.-H., 297, *418*
Zhang, X.-S., 297, *418*
Zhu, C., 297, *418*

© Elsevier Sequoia/Printed in The Netherlands

SUBJECT INDEX

Abrasion
abrasive wear of steel during rolling–sliding contact with rock counterfaces, 99
Adhesion
influence of implanted transition metal ions on the adhesive wear of Fe, 149
Aerodynamics
aerodynamic effects on PFBC erosion target experiments, 237
Alloys
comparison of the wear of polymers and metal alloys in laboratory and field slurries, 59
Alumina
effects of the surrounding atmosphere on the friction and wear of alumina, zirconia, silicon carbide and silicon nitride, 185
erosion of materials by alumina slurry — Part 1, 253
erosion of materials by alumina slurry — Part 2, 271

Ballizing
some investigations on the ballizing process, 209
Bearings
effect of cavitation on the performance of a grooved misaligned journal bearing, 377
new aspects in the realistic prediction of the fatigue life of rolling bearings, 357
observation of a filiform wear product in bearing steel 52100, 231
performance characteristics of a constant flow value compensated multirecess flexible hydrostatic journal bearing, 335
Boundary lubrication
boundary-lubricated wear cast irons to simulate automotive piston ring wear rates, 81

Cams
effects of initial surface finish on cam wear, 29
Carbon
slip amplitude effects and microstructural characteristics of surface layers in fretting wear of carbon steel, 297
Cast irons
boundary-lubricated wear cast irons to simulate automotive piston ring wear rates, 81
Cavitation
cavitation erosion of TiN films produced by ion-beam-enhanced deposition at room temperature, 311
effect of cavitation on the performance of a grooved misaligned journal bearing, 377
Ceramics
inspection of the sliding surface and subsurface of plasma-sprayed ceramic coatings using scanning acoustic microscopy, 399
quantitative wear maps as a visualization of wear mechanism transitions in ceramic materials, 1
Coatings
inspection of the sliding surface and subsurface of plasma-sprayed ceramic coatings using scanning acoustic microscopy, 399
Contacts
abrasive wear of steel during rolling–sliding contact with rock counterfaces, 99

Deformation
influence of long-range order on deformation induced by sliding wear, 115

Erosion
aerodynamic effects on PFBC erosion target experiments, 237
cavitation erosion of TiN films produced by ion-beam-enhanced deposition at room temperature, 311
erosion of materials by alumina slurry — Part 1, 253

© Elsevier Sequoia/Printed in The Netherlands

erosion of materials by alumina slurry — Part 2, 271

Fatigue
new aspects in the realistic prediction of the fatigue life of rolling bearings, 357
Filiform products
observation of a filiform wear product in bearing steel 52100, 231
Films
cavitation erosion of TiN films produced by ion-beam-enhanced deposition at room temperature, 311
Focusing
measurement of surface profiles by the focusing method, 221
Four-ball wear test
wear rate calculation in the four-ball wear test, 321
Fretting
slip amplitude effects and microstructural characteristics of surface layers in fretting wear of carbon steel, 297
Friction
effects of the surrounding atmosphere on the friction and wear of alumina, zirconia, silicon carbide and silicon nitride, 185
sliding friction and wear of Sn-, In- and Pb-coated 52100 steel, 165

Implanted ions
influence of implanted transition metal ions on the adhesive wear of Fe, 149
Indium
sliding friction and wear of Sn-, In- and Pb-coated 52100 steel, 165
Ion-beam-enhanced deposition
cavitation erosion of TiN films produced by ion-beam-enhanced deposition at room temperature, 311
Ion-beams
cavitation erosion of TiN films produced by ion-beam-enhanced deposition at room temperature, 311
Iron
influence of implanted transition metal ions on the adhesive wear of Fe, 149

Journal bearings
effect of cavitation on the performance of grooved misaligned journal bearing, 377
performance characteristics of a constant flow value compensated multirecess flexible hydrostatic journal bearing, 335

Lead
sliding friction and wear of Sn-, In- and Pb-coated 52100 steel, 165
Long-range order
influence of long-range order on deformation induced by sliding wear, 115

Oil wells
reciprocating-sliding wear of sucker rods and production tubing in deviated oil wells, 13

Piston rings
boundary-lubricated wear cast irons to simulate automotive piston ring wear rates, 81
Polymers
comparison of the wear of polymers and metal alloys in laboratory and field slurries, 59
Polytetrafluoroethylene
study of the wear of filled polytetrafluoroethylene, 283
Pressurized fluidized bed combustors
aerodynamic effects on PFBC erosion target experiments, 237
Profiles
measurement of surface profiles by the focusing method, 221

Rolling
abrasive wear of steel during rolling–sliding contact with rock counterfaces, 99
Rolling bearings
new aspects in the realistic prediction of the fatigue life of rolling bearings, 357

Scanning acoustic microscopy
inspection of the sliding surface and subsurface of plasma-sprayed ceramic coatings using scanning acoustic microscopy, 399

Silicon carbide
effects of the surrounding atmosphere on the friction and wear of alumina, zirconia, silicon carbide and silicon nitride, 185
Silicon nitride
effects of the surrounding atmosphere on the friction and wear of alumina, zirconia, silicon carbide and silicon nitride, 185
Sliding
abrasive wear of steel during rolling–sliding contact with rock counterfaces, 99
comparison of standard test methods for non-lubricated sliding wear, 49
influence of long-range order on deformation induced by sliding wear, 115
inspection of the sliding surface and subsurface of plasma-sprayed ceramic coatings using scanning acoustic microscopy, 399
reciprocating-sliding wear of sucker rods and production tubing in deviated oil wells, 13
sliding friction and wear of Sn, In- and Pb-coated 52100 steel, 165
Sliding wear
comparison of standard test methods for non-lubricated sliding wear, 49
reciprocating-sliding wear of sucker rods and production tubing in deviated oil wells, 13
Slip
slip amplitude effects and microstructural characteristics of surface layers in fretting wear of carbon steel, 297
Slurries
comparison of the wear of polymers and metal alloys in laboratory and field slurries, 59
Slurry
erosion of materials by alumina slurry — Part 1, 253
erosion of materials by alumina slurry — Part 2, 271
Steels
abrasive wear of steel during rolling–sliding contact with rock counterfaces, 99
observation of a filiform wear product in bearing steel 52100, 231
slip amplitude effects and microstructural characteristics of surface layers in fretting wear of carbon steel, 297
Sucker rods
reciprocating-sliding wear of sucker rods and production tubing in deviated oil wells, 13
Surface finish
effects of initial surface finish on cam wear, 29
Surfaces
effects of initial surface finish on cam wear, 29
inspection of the sliding surface and subsurface of plasma-sprayed ceramic coatings using scanning acoustic microscopy, 399
measurement of surface profiles by the focusing method, 221
slip amplitude effects and microstructural characteristics of surface layers in fretting wear of carbon steel, 297

Tin
sliding friction and wear of Sn, In- and Pb-coated 52100 steel, 165
Titanium
cavitation erosion of TiN films produced by ion-beam-enhanced deposition at room temperature, 311
Transition metals
influence of implanted transition metal ions on the adhesive wear of iron, 149
Tubing
reciprocating-sliding wear of sucker rods and production tubing in deviated oil wells, 13

Unlubricated sliding
comparison of standard test methods for non-lubricated sliding wear, 49

Wear
abrasive wear of steel during rolling–sliding contact with rock counterfaces, 99
boundary-lubricated wear cast irons to simulate automotive piston ring wear rates, 81
comparison of standard test methods for non-lubricated sliding wear, 49

comparison of the wear of polymers and metal alloys in laboratory and field slurries, 59
effects of initial surface finish on cam wear, 29
effects of the surrounding atmosphere on the friction and wear of alumina, zirconia, silicon carbide and silicon nitride, 185
influence of implanted transition metal ions on the adhesive wear of iron, 149
influence of long-range order on deformation induced by sliding wear, 115
observation of a filiform wear product in bearing steel 52100, 231
quantitative wear maps as a visualization of wear mechanism transitions in ceramic materials, 1
reciprocating-sliding wear of sucker rods and production tubing in deviated oil wells, 13
sliding friction and wear of Sn-, In- and Pb-coated 52100 steel, 165
slip amplitude effects and microstructural characteristics of surface layers in fretting wear of carbon steel, 297
study of the wear of filled polytetrafluoroethylene, 283
wear rate calculation in the four-ball wear test, 321
Wear maps
quantitative wear maps as a visualization of wear mechanism transitions in ceramic materials, 1
Wear mechanisms
quantitative wear maps as a visualization of wear mechanism transitions in ceramic materials, 1

Zirconia
effects of the surrounding atmosphere on the friction and wear of alumina, zirconia, silicon carbide and silicon nitride, 185